X58 Extreme

Intel® X58+ ICH10R Chipsets



< < <













Detail Specification

Northbridge: Intel® X58 Southbridge: Intel® ICH10R Chipset

- Solumprage: Inter-Techtor

Dual Channel DDR3 memory technology

6 x DDR3 DIMM slots

Supports DDR3 2000(OC)/1866(OC)/1600(OC)/1333

(OC)/1066 non-ECC, un-buffered memory

Supports DDR3 ECC, un-buffered memory with Intel®

Workstation 1S Xeon® processors 3500 series

Max. capacity of system memory: 24GB

Supports Intel® Extreme Memory Profile (XMP) Memory

3 x PCI Express 2.0 x16 slots (blue @ x16 mode, orange @ x4 mode) (Double-wide slot spacing between

Expansion Slot

3 x PCI Express 2.0 x16 slots (blue @ x16 mode, orang @ x4 mode) (Double-wide slot spacing between each PCI-E slot)
2 x PCI Express x1 slots
2 x PCI slots
Supports ATI™ CrossFireX™, 3-Way CrossFireX™ and Quad CrossFireX™ Supports NVIDIA® SLI™ and Quad SLI™

7.1 CH Windows® Vista™ Premium Level HD Audio with Audio Content Protection
DAC with 110dB dynamic range (ALC890 Audio Codec)

PCIE x1 Gigabit LAN 10/100/1000 Mb/s Realtek RTL8111DL Supports Wake-On-LAN IAN

I/O Panel
- 1 x PS/2 Mouse Port
- 1 x PS/2 Keyboard Port
- 1 x Coaxial SPDIF Out Port
- 1 x Coaxial SPDIF Out Port
- 7 x Ready-to-Use USB 2.0 Ports
- 1 x Powered esATAII/USB Connector
- 1 x RJ-45 LAN Port with LED (ACT/LINK LED and SPEED LED)
- 1 x IEEE 1394 Port
- 1 x Clear CMOS Switch
- HD Audio Jack: Side Speaker / Rear Speaker / Central / Bass / Line in / Front Speaker / Microphone Rear Panel I/O

6 x SATAII 3.0 Gb/s connectors, support RAID (RAID 0, RAID 1, RAID 10, RAID 5 and Intel® Matrix Storage), NCQ, AHCI and Hot Plug functions
1 x ATA133 IDE connector (supports 2 x IDE devices) Connector

1 x Floppy connector 1 x IR header 1 x IR neader 1 x COM port header 1 x HDMI_SPDIF header 1 x IEEE 1394 header 1 x TPM header

CPU/Chassis/NB/Power FAN connector

24 pin ATX power connector -8 pin 12V power connector -CD in header -Front panel audio connector -2 x USB 2.0 headers (support 4 USB 2.0 ports)

1 x Power Switch 1 x Reset Switch 1 x Clear CMOS Switch Smart Switch

8Mb AMI BIOS AMI Legal BIOS **BIOS Feature**

AMIL Legal BIOS
Supports "Plug and Play"
ACPI 1.1 Compliance Wake Up Events
Supports jumperfree
SMBIOS 2.3.1 Support
CPU, DRAM, NB, SB,VTT Voltage Multi-adjustment
Supports I. O. T. (Intelligent Overclocking Technology)
Supports Smart BIOS

Support CD Drivers, Utilities, AntiVirus Software (Trial Version)

ASRock OC Tuner Intelligent Energy Saver Instant Boot **Unique Feature** ASRock Instant Flash

ASROCK Install Flags
Hybrid Booster:
- CPU Frequency Stepless Control
- ASRock U-COP
- Boot Failure Guard (B.F.G.)

Hardware Monitor

CPU Temperature Sensing
- Chassis Temperature Sensing
- CPU/Chassis/NB/Power Fan Tachometer
- CPU Quiet Fan
- Voltage Monitoring: +12V, +5V, +3.3V, CPU Vcore

Microsoft® Windows® XP / XP 64-bit / Vista™ / Vista™ os 64-bit compliant FCC. CE. WHQL Certifications

- 1 x ASRock SLI_Bridge_2S Card - Quick Installation Guide, Support CD, I/O Shield - Floppy/ATA 133 Cables - 4 x SATA Data Cables (Optional) - 2 x SATA 1 to 1 Power Cables (Optional) Accessories



















Product Brief < < <

Worldwide First EuP Ready Motherboard!

- System Bus up to 6400 MT/s; Intel® **QuickPath Interconnect**
- Triple Channel DDR3 2000 (OC) with 6 DIMM slots
- 3 x PCI Express 2.0 x 16 slots (Double-wide slot spacing between each PCI-E slot)
- 1 x Power eSATA/USB connector
- NVIDIA® Quad SLI™ and SLI™
- ATI™ CrossFireX™, 3-Way CrossFireX™ and Quad CrossFireX™
- 7.1 CH, ALC890 Audio Codec
- Smart Switch Design
- Dr. Debug
- TPM support
- ASRock Instant Boot, Instant Flash, Smart BIOS, ASRock OC Tuner, **Intelligent Energy Saver**

The specification is subject to change without notice. The brand and product names are trademarks of their respective companies. Any configuration other than original product specification is not guaranteed

X58 Extreme

Intel® X58+ ICH10R Chipsets





Worldwide First EuP Ready Motherboard!



EuP Ready Motherboard

EuP Ready Power Supply

EuP System

What is EuP?


EuP, stands for Energy Using Product, was a provision regulated by European Union to define the power consumption for the completed system. With the great quantity and the popularly using of the electrical products nowadays and the continuously increasing of the electrical products categories in the following 20 to 30 years, European Union decided to establish an effective strategy to solve the energy consumption problem. That is, according to EuP, the total AC power of the completed system shall be under 1.00W in off mode condition.

ASRock X58 Extreme, Worldwide First EuP Ready Motherboard!

To meet EuP standard, an EuP ready motherboard and the EuP ready power supply are required. As a mother-board vendor with eco-awareness, ASRock is the pioneer to develop "EuP Ready" motherboards based on the great efforts of our exceptional hardware design.

Today, ASRock proudly announced that X58 Extreme is the Worldwide First EuP Ready motherboard. With X58 Extreme, you are confident to setup a system to pass the EuP standard.







ASRock Instant Boot

ASRock Instant Boot is a new feature invented exclusively by ASRock. It can boot up system in an amazing speed, which is 10 times faster than traditional boot up. For home users or office PC users, ASRock Instant Boot can also guarantee a clean Windows OS, and consumed less power! For details: http://www.asrock.com/feature/InstantBoot/index.asp

- * This function is applicable ONLY to single user that does not secure ID and Password to their systems.
- * The boot up time depends on the hardware configuration.

10 Times Faster, Only 4 Secs to Boot Up to Windows!

ASRock YouTube

http://tw.youtube.com/watch?v=BucljXZVxXo



X58 Extreme

Intel® X58+ ICH10R Chipsets




ASRock Instant Flash

ASRock Instant Flash is an exclusive and the most userfriendly BIOS flash utility developed by ASRock. It is embedded in Flash ROM which is used to update the system BIOS without having to enter operating systems like MS-DOS or Windows.



How to execute ASRock Instant Flash?

ASRock Instant Flash is extremely user-friendly. You can access Instant Flash utility directly by pressing F6 when you saw this page.



Features

Once executing ASRock Instant Flash, the utility will automatically detect all devices such as USB, hard disk or even floppy drive to find the exact BIOS for your system. Instead of giving you all BIOS in your devices, the Instant Flash just list BIOS versions that apply to your motherboard model only. For example, if you have many different BIOS of different motherboards saved in your devices, but you just need to flash your P45 motherboard, the Instant Flash will just list the P45 BIOS versions for you. This unique function allows you to easily select the suitable BIOS version instead of browsing through all data.



Instant Flash just list BIOS versions that apply to your motherboard model.

Simple



Click and start Flashing!

Quick!